



A photograph of a narrow cobblestone street at night. On the left, there is a stone building with arched windows and doorways, some of which are illuminated from within. On the right, there are taller, lighter-colored buildings. The street is paved with cobblestones, and several small, round, recessed lights are embedded in the pavement, casting a warm glow. Streetlights on poles line the street, and the sky is a deep blue.

Lightio


**Out Door
LED Lights**

*Bright Light
Bright Life*

www.lightio.ca



93001 94001






Item No:93001, 94001

Power: 0.1W
Lumen: 6lm/W
Size: $\phi 24 \times H35MM$
Beam angle: 120°




93003 94003



Item No:93003, 94003


Power: 0.1W
Lumen: 9lm/W
Size: $\phi 35 \times H38MM$
Beam angle: 120°




Lightio

93005

94005




Power: 0.6W
Lumen: 13lm/W
Size: $\phi 62 \times H 32 \text{MM}$, $\phi 75 \times 31 \text{MM}$
Beam angle: 120°







93006

94006




Power: 0.5W
Lumen: 33lm/W
Size: L153*W69*H28.3MM
Beam angle: 120°






93007




3000K

94007



4000K






Power: 5W
Lumen: 60lm/W
Size: $\phi 59 \times 103.5 \times H86.5$ MM
Beam angle: 36°







93009

94009



Power: 2*3W
Lumen: 60lm/W
Size: L100*W100*H100MM
Light angle: Adjustable





93012

94012


Item No:93012, 94012

Power: 1W

Lumen: 30lm

Size: L272*W69*H28.3MM

Beam angle: 120°



-20~+40°C

90 CRI

IP67

AC12V






Lightio

93022

94022

12Vx3W/ 90*90*60mm/ 120°





3000K




4000K

Lightio

93024

94024

12Vx3W/ 90*60mm/ 180°





3000K



4000K

93026

94026

12Vx3W/ 150*60mm / 180°



30lm/W



-20~+40°C



CRI



Aluminum



IP67



AC12V

Lighttio



Lighttio




93028

94028



3000K



4000K


Power: 0.6W
Lumen: 13lm/W
Size: $\phi 62 \times H32\text{MM}$, $\phi 75 \times 31\text{MM}$
Beam angle: 120°


-20~+40°C


90 CRI




IP67


AC12V





93030	12V/ 8W/ 3000K/ IP67 2mx10mmx10mm
94030	12V/ 8W/ 4000K/ IP67 2mx10mmx10mm
93032	12V/ 8W/ 3000K/ IP67 3mx10mmx10mm
94032	12V/ 8W/ 4000K/ IP67 3mx10mmx10mm
93034	12V/ 6W/ 3000K/ IP67 2mx4mmx8mm
94034	12V/ 6W/ 4000K/ IP67 2mx4mmx8mm
93036	12V/ 6W/ 3000K/ IP67 3mx4mmx8mm
94036	12V/ 6W/ 4000K/ IP67 3mx4mmx8mm





3000K



4000K

Lightio

93038

94038

12Vx1W/ 50*50*400mm / 120°



30lm/W



-20~+40°C



CRI



Aluminum



IP67



AC12V





3000K



4000K

Lightio

93040

94040

12Vx3W/ 65*400mm / 180°



30lm/W



-20~+40°C



CRI



Aluminum



IP67



AC12V






Lightio

93042

94042

12Vx3W/ 90*600mm / 180°





3000K



4000K

Lightio

93044

94044

12Vx3W/ 65*400mm / 180°



30lm/W



-20~+40°C



CRI



Aluminum



IP67



AC12V





93046

3000K/ 12W/ 150*55mm




94046

4000K/ 12W/ 150*55mm




93048

3000K/ 2W/ 150*110*55mm



94048

4000K/ 2W/ 150*110*55mm



93050

3000K/ 3W/ 120*85*40mm



94050

4000K/ 3W/ 120*85*40mm



93052

3000K/ 5W/ 180*108*40mm



94052

4000K/ 5W/ 180*108*40mm



93054

3000K/ 0.6W/ 62*45mm



93056


3000K/ 0.6W/ 62*45mm

94054

4000K/ 0.6W/ 62*45mm

94056

4000K/ 0.6W/ 62*45mm



93058

3000K/ 0.6W/ 62*45mm



93060

3000K/ 0.6W/ 62*45mm

94058

4000K/ 0.6W/ 62*45mm

94060

4000K/ 0.6W/ 62*45mm







(Double Head)

93062



(Single Head)

93064




Power: 2*8W
Lumen: 60lm/W
Size: $\phi 72 \times 200 \times H96$ MM
Beam angle: 36°




Power: 8W
Lumen: 60lm/W
Size: $\phi 72 \times 160 \times H96$ MM
Beam angle: 36°

93062	93064
8W*2	8W
90*200*96 mm	72*160*96 mm
AC12V	AC12V
3000K	3000K
36°	36°





91002 7pcs Repair kits for LED strip lights




91004 7pcs Repair kits for LED strip lights

SCB3/4



SCB2



SCB1 1/4




SCB2 1/2





BDM180

Max power	2300W
Max Drill Fit	Φ 160mm
RPM	0-1600
Max freq	50 Hz



TRF88

88W Low Voltage Transformer



TRF120

120W Low Voltage Transformer